L Number	Hits	Search Text	DB	Time stamp
2	60	(message) with (secur\$3 encrypt\$4) with (request\$3	USPAT;	2004/07/07 10:12
		authoriz\$3) and 455/410,411,550.1.ccls.	US-PGPUB;	
			EPO; JPO; DERWENT;	
		•	IBM_TDB	
3	2	("5077791").PN.	USPAT;	2004/07/07 10:12
	_	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	8	("3781472" "3886313" "4013837" "4020285" "4079188"	IBM_TDB USPAT	2004/07/07 10:12
4	0	"4091423" "4167700" "4368357").PN.	OSIAI	2001/07/07 10:12
5	7	5077791.URPN.	USPAT	2004/07/07 10:15
6	10	(transition change) with (secur\$3) with during adj call	USPAT;	2004/07/07 12:44
		•	US-PGPUB;	
			EPO; JPO;	
l			DERWENT; IBM_TDB	
7.	3	(nonsecure non?secure) with (secur\$3) with during adj call	USPAT;	2004/07/07 11:50
'	٦	(nonsecure non-secure) than (secures) that during any con-	US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
_		(15000004011 15000705511 154040707011 15404740711 1540474011 15640474011	IBM_TDB USPAT	2004/07/07 11:50
9	9	("6002919" "6097966" "6131033" "6181710" "6185412" "6301475" "6332579" "6353748" "6463534").PN.	USPAT	2004/07/07 11:59
10	0	6704567.URPN.	USPAT	2004/07/07 12:03
18	6	(transition\$3 chang\$3 switch\$3) with (nonsecur\$3 non?secure)	USPAT;	2004/07/07 12:43
		and 455/410,411.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
19	7	(transition\$3 chang\$3 switch\$3) with (nonsecur\$3 non?secure)	USPAT;	2004/07/07 12:43
13	<i>'</i>	and 455/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
20		((transition\$3 chang\$3 switch\$3) with (nonsecur\$3	IBM_TDB USPAT;	2004/07/07 12:43
20	1	non?secure) and 455/\$.ccls.) not ((transition\$3 chang\$3	US-PGPUB;	2007/07/07 12.13
		switch\$3) with (nonsecur\$3 non?secure) and	EPO; JPO;	
		455/410,411.ccls.)	DERWENT;	·
			IBM_TDB	2004/07/07 42 45
21	34	(transition\$3 chang\$3 switch\$3) with (nonsecur\$3 non?secure)	USPAT; US-PGPUB;	2004/07/07 12:45
		with (mode operation)	EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
22	92	(transition\$3 chang\$3 switch\$3) with (nonsecur\$3 non?secure)	USPAT;	2004/07/07 12:45
		with (secur\$3)	US-PGPUB; EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
17	98	(transition\$3 chang\$3 switch\$3) with (nonsecur\$3 non?secure)	USPAT;	2004/07/07 12:45
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	842	(455/550.1).CCLS.	USPAT;	2004/07/05 21:45
	0.12	(,	US-PGPUB;	, , , = ===
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	

	T 500	(455 (440) CCI C	USPAT;	2004/07/01 11:49
-	590	(455/410).CCLS.	US-PGPUB;	2004/07/01 11.49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	967	(455/411).CCLS.	USPAT;	2004/07/01 11:49
			US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	2004/07/04 42-32
-	24	((455/550.1).CCLS.) and (((455/410).CCLS.)	USPAT; US-PGPUB;	2004/07/01 12:33
		((455/411).CCLS.))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	79	((transition change) with (secur\$3)) and (((455/550.1).CCLS.)	USPAT;	2004/07/01 12:34
-	/9	((455/410).CCLS.) ((455/411).CCLS.))	US-PGPUB;	2001,07,0112.01
		((433)410).ccc3.) ((133)111).ccc3.))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u>-</u>	314	((transition change) with (secur\$3)) and (455/\$.ccls.)	USPAT;	2004/07/01 12:34
			US-PGPUB;	
		,	EPO; JPO;	•
			DERWENT;	
			IBM_TDB	
-	22	((transition change) with (secur\$3) with (button key press	USPAT;	2004/07/01 12:42
		push)) and 455/\$.ccls.	US-PGPUB;	
İ			EPO; JPO;	
1			DERWENT;	
	440	(/bar withing auton) with (cogurt2 angrent41) with (made	IBM_TDB USPAT;	2004/07/01 12:44
-	140	((transition enter) with (secur\$3 encrypt\$4) with (mode operation)) and (wireless portable cellular mobile) near3	US-PGPUB;	2001/07/01 12.11
		(\$4phone call)	EPO; JPO;	
		(\$\frac{3}{2}\text{priorie carry}	DERWENT;	
			IBM_TDB	
_	45	((transition enter) with (secur\$3 encrypt\$4) with (mode	USPAT;	2004/07/01 12:45
		operation)) and (455/\$.ccls.)	US-PGPUB;	
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
		*	DERWENT;	-)(-
			IBM_TDB	2004/07/04 44-24
-	29	(transition change) with (secur\$3) with hold with (button key	USPAT;	2004/07/01 14:31
		press push)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3782	hold with (button key) with (time second)	USPAT;	2004/07/01 14:44
	3/62	Hold Will (button key) Will (time second)	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	28	(hold with (button key) with (time second)) and (379/\$.ccls.	USPAT;	2004/07/01 14:32
		and 455/\$.ccls.)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2	halding with (hutton (co.) with (time second) and (270/#	IBM_TDB USPAT;	2004/07/01 14:45
-	253	holding with (button key) with (time second) and (379/\$	US-PGPUB;	200 1/07/01 17:73
		455/\$).ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
L		<u> </u>		

-	110	holding with (button key) with (time second) with (secur\$4 encrypt\$4 mode operat\$4) and (379/\$ 455/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/01 14:50
-	33	holding with (button key) with (time second) with (secur\$4 encrypt\$4 mode) and (379/\$ 455/\$).ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/01 15:00
-	163	(pressing pushing) with (button key) with (time second) with (secur\$4 encrypt\$4 mode) and (379/\$ 455/\$).ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/07/01 15:01
-	3	(pressing pushing) with (button key) with (time second) with (secur\$4 encrypt\$4 mode) and (((455/410).CCLS.)	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/07/01 15:03
-	95	((455/411).CCLS.)) (pressing pushing) with (button key) with (time second) with	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/07/01 15:03
	600	(secur\$4 encrypt\$4 mode) and (455/\$).ccls. secure with (non?secure nonsecure normal regular) with (mode	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/07/05 21:46
_	680	secure with (non?secure nonsecure normal regular) with (mode state)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	200 11 07 100 21.70
-	48	(secure with (non?secure nonsecure normal regular) with (mode state)) and 455/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/05 21:46
-	9	(secure with (non?secure nonsecure normal regular) with (mode state)) and (((455/550.1).CCLS.) ((455/410).CCLS.))	USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:04
-	33	4555805.URPN.	USPAT	2004/07/05 21:52
-	7	6151677.URPN.	USPAT USPAT	2004/07/06 10:06 2004/07/06 10:10
-	33	("4405829" "4795898" "4816653" "4882474" "4961142" "4965881" "5015834" "5077791" "5120939" "5159634" "5406619" "5410599" "5432939" "5444764" "5475756" "5497411" "5508691" "5513261" "5524134" "5569903" "5584043" "5602918" "5619683" "5623637" "5633920" "5664017" "5673317" "5682027" "5682475" "5698837" "5717927" "5787180" "5887250").PN.	-	
-	7 479	6151677.URPN. (secure with (non?secure nonsecure normal regular) with (call connection link))	USPAT USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:03 2004/07/06 11:04
-	18	(secure with (non?secure nonsecure normal regular) with (call connection link)) and 455/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:32
-	119	(secure with (non?secure nonsecure normal regular) with (call connection link mode) with (enter\$3 transition\$3 switch\$3 mak\$3))	USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:34
-	137	(secure with (non?secure nonsecure normal regular clear) with (call connection link mode) with (enter\$3 transition\$3 switch\$3 mak\$3))	USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:34
-	7	(secure with (non?secure nonsecure normal regular clear) with (call connection link mode) with (enter\$3 transition\$3 switch\$3 mak\$3) with (button switch key press\$3 hold\$3)) and 455/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/07/06 11:59

-	67	(secure with (non?secure nonsecure normal regular clear) with (call connection link mode) with (enter\$3 transition\$3 switch\$3	USPAT; US-PGPUB;	2004/07/06 14:20
_	21	mak\$3) with (button switch key press\$3 hold\$3)) (secure with (non?secure nonsecure normal regular clear) with	IBM_TDB EPO; JPO;	2004/07/06 15:27
	21	(call connection link mode) with (enter\$3 transition\$3 switch\$3 mak\$3) with (button switch key press\$3 hold\$3))	DERWENT	
- ,	23	(send talk) adj2 (key button) with secur\$3	EPO; JPO; DERWENT	2004/07/06 18:40
-	23	(send talk) adj2 (key button) with secur\$3	EPO; JPO; DERWENT	2004/07/06 18:41
-	213	(send talk) adj2 (key button) with secur\$3	USPAT; US-PGPUB;	2004/07/06 18:41
			EPO; JPO; DERWENT; IBM_TDB	
-	3	(send talk) adj2 (key button) with secur\$3 and (455/550.1,410,411).ccls.	USPAT; US-PGPUB;	2004/07/06 18:42
		(+33)330.1,410,411).ccis.	EPO; JPO; DERWENT;	
-	8	(send talk) adj2 (key button) with secur\$3 and (455/\$).ccls.	IBM_TDB USPAT;	2004/07/06 18:44
		,	US-PGPUB; EPO; JPO; DERWENT;	
_	585	(disabl\$4 lock\$8) with (PIN code) with (wrong\$2 incorrect\$2	IBM_TDB USPAT;	2004/07/06 19:08
	303	"not" adj3 correct\$2)	US-PGPUB; EPO; JPO;	
	70		DERWENT; IBM_TDB	
-	11	((disabl\$4 lock\$8) with (PIN code) with (wrong\$2 incorrect\$2 "not" adj3 correct\$2)) and 455/410,411.ccls.	USPAT; US-PGPUB;	2004/07/06 18:52
			EPO; JPO; DERWENT; IBM_TDB	
-	1	((disabl\$4 lock\$8) with (PIN code) with (wrong\$2 incorrect\$2 "not" adj3 correct\$2)) and 455/550.1.ccls.	USPAT; US-PGPUB;	2004/07/06 18:53
		That auto confects 2) and 433/330.1.ccis.	EPO; JPO; DERWENT;	
_	0	20010016486.URPN.	IBM_TDB USPAT	2004/07/06 18:53
-	27	((disabl\$4 lock\$8) with (PIN code) with (wrong\$2 incorrect\$2 "not" adj3 correct\$2)) and 455/\$.ccls.	USPAT; US-PGPUB;	2004/07/07 09:29
			EPO; JPO; DERWENT;	
-	12	(disabl\$4 lock\$8) with (PIN code) with (wrong\$2 incorrect\$2	IBM_TDB USPAT; US-PGPUB;	2004/07/06 19:08
		"not" adj3 correct\$2) with ("7" seven)	EPO; JPO; DERWENT;	
-	6	("4908848" "4924499" "5062134" "5438612" "5862470"	IBM_TDB USPAT	2004/07/06 20:10
-	0	"5995823").PN. 6442406.URPN.	USPAT	2004/07/06 20:14